PRG Roll Downs

PRG's Roll Downs are designed to provide a portable temporary drop solution.

Quality Assurance

Engineered for efficient and rapid installation and is fully portable.

Product Details

PRG's Roll Downs are a single unit solution to provide a portable and temporary backdrop. Designed for seamless installation, PRG's Roll Downs are ideal for all markets including concert touring, corporate events and theatre.



Martin Short Fame Becomes Me 2007

PRG Roll Downs

-= ======:	: :*:	: :-:			1 201 2 202 4	: :-====:=:
			المحمد المحمد المرتب المتراف المتراجع المحمد الم			
			المحمد المحمد المحمد المتعادية والمتعادية والمحمد المحمد المحمد المحمد المحمد المحمد المحمد المحمد ال			
	1 1-1	<u> i </u>		<u> </u>	/ <u>1-1 I 1-1</u>	<u> </u>

9'-3" Roll Down												
Roll Down Size	Overall Length	Tube Diameter	Width	Height	Weight	Motor	Control	Fabric Capacity (approx)	Ecode			
9'3"	10'-1"	6"	1'6-3/4"	10"	Call	15A SERVO	SCS*	30'-0"	-			
	*Stage Command™ System											


	12'-0" Roll Down											
Roll Down Size	Overall Length	Tube Diameter	Width	Height	Weight	Motor	Control	Fabric Capacity (approx)	Ecode			
12'-0"	15'-6″	5.25″	10"	1'-5″	275 lbs.	15A SERVO	SCS*	50'-0"	2.97720			
	*Stage Command™ System											

21'-0" Roll Down											
Roll Down Size	Overall Length	Tube Diameter	Width	Height	Weight	Motor	Control	Fabric Capacity (approx)	Ecode		
21'-0"	25'-0"	10"	1'-8 ½" **	1'-8 ½" **	750 lbs.	15A SERVO	SCS*	100'-0"	2.97724		
	*Stage Command™ System										

	34'-0" Roll Down											
Roll Down Size Overall Length Tube Diameter Width Height Weight Motor Control Fabric Capacity (approx) Ecode												
34'-0"	38'-0"	10"	1'-8 ½" **	1'-8 ½"**	1,125 lbs.	15A SERVO	SCS*	100'-0"	2.97730			
	*Stage Command™ System **Roll Down Units are fabricated to 1' 8 ½" x 1'8 ½" Square Truss											



PRG Roll Downs



Ranging in size from 9'-3" up to 34'-0" wide PRG's Roll Downs are flexible, highly portable and quick to install. Engineered as a virtually self-contained units, PRG's Roll Downs are ideal for all markets including concert touring, television and theatre.

Features

Quick and Easy Installation

- Various sizes available
- Self-contained
- Travels as complete unit
- Fast setup with minimal crew
- 15 amp servo motors with a maximum speed of up to 3.5'/sec

©2016 PRODUCTION RESOURCE GROUP, LLC. ALL RIGHTS RESERVED. SPECIFICATIONS ARE SUBJECT TO CHANGE WWW.PRG.COM



PRG DMX Roll Downs



7'-0" Roll Down											
Roll Down Size	Overall Length	Tube Diameter	Width	Lifting Height	Max Speed	Signal	Control	Lifting Capacity (approx)	Ecode		
7'0"	84"	8″	12"	39'-0"	36"/sec	DMX	Light Console	55 lbs.	2.97715		

14'-0" Roll Down											
Roll Down Size	Overall Length	Tube Diameter	Width	Lifting Height	Max Speed	Signal	Control	Lifting Capacity (approx)	Ecode		
14'-0"	168"	8″	12"	39'-0"	36"/sec	DMX	Light Console	55 lbs.	2.97722		



PRG DMX Roll Downs



Ranging in size from 7'-0" up to 14'-0" wide the DMX Roll Downs are flexible, highly portable and quick to install. The unit is compatible with all PRG consoles and a wide variety of DMX512 and Art-Net consoles. Engineered as a self-contained unit, the DMX Roll Downs are ideal for all markets including concert touring, television and theatre. The DMX control creates programming flexibility as there is no need for an additional automation operator.

Features

Quick and Easy Installation

- DMX controlled with a standard lighting console
- Flexible programmability
- Self-contained
- Travels as complete unit
- Easily spliced for lengths up to 39'-0"
- Fast setup with minimal crew
- 55 lb. working load limit and a maximum speed of up to 39"/sec
- 5 pin DMX input and pass through

©2017 PRODUCTION RESOURCE GROUP, LLC. ALL RIGHTS RESERVED. SPECIFICATIONS ARE SUBJECT TO CHANGE WWW.PRG.COM

